12V Compressor refrigerators

Discover our current product range
Some products are no longer available. Need support with an older model? Check out the service section on our website.

	TR1050M	TR1050P	TR1050P	TR1065M	TR1065P
					
Main Dimensions (HxWxD)*	533 x 380 x 505 mm	533 x 380 x 505 mm	533 x 380 x 505 mm	533 x 450 x 525mm	533 x 450 x 525 mm
Recommended built-in depth	507 mm	507 mm	507 mm	527 mm	527 mm
Total Volume	53 L	53 L	53 L	67 L	67 L
Volume freezer	4.9 L	4.9 L	4.9 L	6.7 L	6.7 L
Position freezer	Internal	Internal	Internal	Internal	Internal
Control Panel	Internal	Internal	Internal	Internal	Internal
Type of control	Buttons	Buttons	Buttons	Buttons	Buttons
Door Shape	Flat	Flat	Flat	Flat	Flat
Door version	Brushed metal - swing door	Panel - swing door	Panel -drawer	Brushed metal - swing door	Panel - swing door
Interior Light	Yes	Yes	Yes	Yes	Yes
Energy Consumption (kWh/24h)**	0,3	0,3	0,3	0,3	0,3
Average Ampere Usage (Ah/24h)**	25,0	25,0	25,0	25,0	25,0
Climate Class Day mode	SN-T (10 °C - 43°C)	SN-T (10 °C - 43°C)	SN-T (10 °C - 43°C)	SN-T (10 °C - 43°C)	SN-T (10 °C - 43°C)
Climate Class Night Mode	SN (10 °C - 32°C)	SN (10 °C - 32°C)	SN (10 °C - 32°C)	SN (10 °C - 32°C)	SN (10 °C - 32°C)
Noise Level Day Mode (dB(A))	32,0	32,0	32,0	32,0	32,0
Noise Level Night Mode (dB(A))	28,0	28,0	28,0	28,0	28,0
Amount Of Shelves	2	2	0	2	2
Shelf Food Retainer	Wired	Wired	n.a.	Wired	Wired
Veggie Bins	2	2	n.a.	2	2
Slide-Out Box (yes/no)	No	No	Drawer basket	No	No
Amount Off Door Bins	2	2	1	2	2
Color Bins	Ice Grey	Ice Grey	Ice Grey	Ice Grey	Ice Grey
Net Weight (kg)	17,2	18	20	18	18
Partnumber***	693489	693490	693491	693492	693493

[redacted]

* Including protruding door handle of 11 mm.
** According IEC62552-2020
*** Venting is compulsary for every fridge.
**** The Recommended Retail Pricing (RRP) provided herein is intended solely as a guideline and reference point. The RRP may be subject to change without prior notice.

072026

12V Compressor refrigerators

Discover our current product range
Some products are no longer available. Need support with an older model? Check out the service section on our website.

	T1080	T1088	T1090-E	T2095-E	T2120-C
					
Main Dimensions (HxWxD)*	820 x 485 x 572mm	820 x 524 x 572mm	975 x 418 x 486mm	908 x 400 x 682mm	1270x 418 x 580mm
Recommended built-in depth	530 mm	530 mm	506 mm	684 mm	570 mm
Total Volume	78,9 L	88,4 L	84 L	90 L	119 L
Volume freezer	7,9 L	7,9 L	6.1 L	7 L	17 L
Position freezer	Top Internal	Top Internal	Top Internal	Internal	Internal
Energy Consumption (kWh/24h)**	0,40	0,43	0.34 kW/24h	0.36 kW/24h	0.45 kW/24h
Average Ampere Usage (Ah/24h)**	TBD	TBD	26.6 Ah/24h	26.6 Ah/24h	37.1 Ah/24h
Climate Class Day mode	ST (16 °C - 38°C)	ST (16 °C - 38°C)	ST (16 °C - 38°C)	SN- T (10°C - 43°C)	SN- T (10°C - 43°C)
Climate Class Night Mode	N (16°C - 32°C)	N (16°C - 32°C)	N (16 °C - 32°C)	SN (10 °C - 32°C)	SN (10 °C - 32°C)
Noise Level Day Mode	TBD	TBD	34.9 dB (A)	32.0 dB(A)	34.2 dB (A)
Noise Level Night Mode	TBD	TBD	33.1 dB (A)	30.0 dB(A)	31.5 dB (A)
Net Weight	25.6 kg	26.4 kg	21.1 kg	33 kg	32.5 kg
Hinge type	Right	Right	Right	N/A	Right
Type of door	Flat	Flat	Flat	Flat	Flat
Doorpanel	Matt Black	Matt Black	Matt Black	Matt Black	Matt Black
Amount Of Shelves	3	3	3	1	3
Slide-Out Box	No	No	No	No	No
Type of control	LED - buttons	LED - buttons	LED - buttons	LED - buttons	Capacitive touch
Part number	693882SP	693890SP	693483SP	692961SP	693092SP
Wheel Arch Model	Yes	Yes	N/A	N/A	N/A

* Including protruding door handle of 11 mm.
** According IEC62552-2020
*** The Recommended Retail Pricing (RRP) provided herein is intended solely as a guideline and reference point. The RRP may be subject to change without prior notice.

072026

12V Compressor refrigerators

Discover our current product range
Some products are no longer available. Need support with an older model? Check out the service section on our website.

	T2138-C	T2152-C	T2160-C	T2175-C
				
Main Dimensions (HxWxD)*	1598 x 418 x 503mm	1500 x 418 x 569mm	1245 x 525 x 563mm	1245 x 525 x 613mm
Recommended built-in depth	506 mm	569 mm	563 mm	613 mm
Total volume	138 L	150 L	158 L	174 L
Volume freezer	11.6 L	17 L	30.5 L	33.5 L
Position Freezer	Internal	Internal	External Bottom Drawer	External Bottom Drawer
Energy Consumption **	0.50 kWh/24h	0.46 kWh/24h	0.56 kWh/24h	0.56 kWh/24h
Average Ampere Usage **	42.0 Ah/24h	39.1 Ah/24h	45.8 Ah/24h	46.5 Ah/24h
Climate Class Day mode	SN- T (10°C - 43°C)	SN- T (10°C - 43°C)	SN- T (10°C - 43°C)	SN- T (10°C - 43°C)
Climate Class Night mode	SN (10 °C - 32°C)	SN (10 °C - 32°C)	SN (10 °C - 32°C)	SN (10 °C - 32°C)
Noise Level Day mode	34.2 dB (A)	35.6 dB (A)	35.6 dB (A)	33.6 dB (A)
Noise Level Night mode	31.5 dB (A)	32.3 dB (A)	32.3 dB (A)	32.3 dB (A)
Net Weight	34.2 kg	35.0 kg	37.4 kg	38.4 kg
Hinge type	Right	Right	Right	Right
Door shape	Flat	Flat	Flat	Flat
Door panel	Matt Black	Matt Black	Matt Black	Matt Black
Amount Of Shelves	3	3	3	3
Slide-out box	Yes	Yes	Yes	Yes
Type of control	Capacitive touch	Capacitive touch	Capacitive touch	Capacitive touch
Part number	692935SP	692937SP	692943SP	692946SP

* Including protruding door handle of 11 mm.
** According IEC62552-2020
*** The Recommended Retail Pricing (RRP) provided herein is intended solely as a guideline and reference point. The RRP may be subject to change without prior notice.

072026