



Spare parts S 5002 30mbar (05/1998-05/1999)

| Item no. | Article no. | Description | Quantity | Unit |
|----------|-------------|--|----------|------|
| 10 | 30050-32300 | S 5002/S 5004 heat exchanger | 1 | PC |
| 20 | 30030-02700 | Mica window large | 1 | PC |
| 30 | 30050-10500 | Distance sheet | 1 | PC |
| 40 | 30010-19800 | Washer Starlock-5-1.1231-vamish finish | 1 | PC |
| 50 | 30050-18700 | S 5002/S 5004 ignition pipe | 1 | PC |
| 60 | 10030-23400 | O-ring 16 x 2.5 mm, VMQ | 1 | PC |
| 70 | 30050-32400 | Exhaust collector cpl. | 1 | PC |
| 80 | 10030-26500 | O-ring 52 x 5 mm, VMQ, 40 Shore A | 1 | PC |
| 90 | 30050-33100 | Exhaust duct fitting AE 5 | 1 | PC |
| 100 | 10010-86000 | PH screw DIN 7985 M5x16-4.8-A2K-Z | 1 | PC |
| 110 | 30050-23500 | S 5002 base cpl. | 1 | PC |
| 120 | 30030-15800 | Heat deflector | 1 | PC |
| 130 | 10010-66200 | ST screw ISO 7049 ST5,5x25-A2K-C-Z | 1 | PC |
| 140 | 30090-00077 | Automatic ignitor | 1 | PC |
| 150 | 30050-53500 | Adapter cable auto ignitor | 1 | PC |
| 160 | 30030-99200 | Battery Mignon 1.5 V | 1 | PC |
| 170 | 30030-16100 | Shield | 1 | PC |
| 180 | 30090-00041 | Operating kit S 5002 | 1 | PC |
| 190 | 30090-00142 | S 3002/S 5002 safety pilot valve kit | 1 | PC |
| 210 | 30050-59200 | Adapter plug | 1 | PC |
| 220 | 30010-23400 | Socket board 2-pin | 1 | PC |
| 230 | 30030-12200 | Magnet inset | 1 | PC |

Spare parts S 5002 30mbar (05/1998-05/1999)

| Item no. | Article no. | Description | Quantity | Unit |
|----------|-------------|--|----------|------|
| 240 | 30030-12000 | Screw-in nut | 1 | PC |
| 250 | 30030-03100 | S 3002/5002 supply duct cpl. | 1 | PC |
| 260 | 30010-10900 | Double conical ring L8 | 1 | PC |
| 270 | 30010-11000 | Male fitting | 1 | PC |
| 280 | 30030-29800 | S 3002 (P)/5002 holder for heat detector | 1 | PC |
| 290 | 30090-00152 | S 5002/S 5004 burner cpl., 30 mbar | 1 | PC |
| 360 | 30010-23500 | Flat connector 2.8 mm | 1 | PC |
| 370 | 30050-13900 | S 2200/3002/5002 thermocouples | 1 | PC |
| 380 | 30030-04300 | Extension cpl. | 1 | PC |
| 390 | 30030-17500 | Perforated plate | 1 | PC |
| 400 | 30030-28500 | Extension spring | 1 | PC |
| 430 | 30050-29000 | S 5002/S 5004 frame | 1 | PC |
| 440 | 10010-72000 | ST screw ISO 7049 ST3,5x9,5-A2K-C-Z | 1 | PC |
| 450 | 10010-68000 | PH chipboard screw 3x12-A2K-Z | 1 | PC |
| 460 | 30050-52100 | S 5002 installation box | 1 | PC |
| 470 | 30050-52200 | S 5002 installation box for 2 fans | 1 | PC |
| 480 | 30050-51100 | S 5002 installation box interior part | 1 | PC |
| 490 | 30050-51300 | S 5002 inst. box interior part, 2 fans | 1 | PC |
| 500 | 30040-60000 | S 3002 (P)/5002 retaining spring | 1 | PC |
| 510 | 30040-60500 | Support plate, top left | 1 | PC |
| 520 | 30040-60600 | Support plate, top right | 1 | PC |
| 530 | 30040-60400 | Fastening bracket, middle right | 1 | PC |

Spare parts S 5002 30mbar (05/1998-05/1999)

| Item no. | Article no. | Description | Quantity | Unit |
|----------|-------------|--------------------------------|----------|------|
| 540 | 30040-60300 | Fastening bracket, middle left | 1 | PC |
| 550 | 30040-60200 | Retaining plate, bottom right | 1 | PC |
| 560 | 30040-60100 | Retaining plate, bottom left | 1 | PC |
| 570 | 30030-18700 | Knob socket | 1 | PC |
| 580 | 30070-11500 | Spring nut | 1 | PC |

Spare parts S 5002 30mbar (06/1999-07/2004)

| Item no. | Article no. | Description | Quantity | Unit |
|----------|-------------|--|----------|------|
| 10 | 30050-32300 | S 5002/S 5004 heat exchanger | 1 | PC |
| 20 | 30030-42700 | Inspection glass cpl. | 1 | PC |
| 30 | 30050-10500 | Distance sheet | 1 | PC |
| 40 | 30010-19800 | Washer Starlock-5-1.1231-vamish finish | 1 | PC |
| 50 | 30050-18700 | S 5002/S 5004 ignition pipe | 1 | PC |
| 60 | 10030-23400 | O-ring 16 x 2.5 mm, VMQ | 1 | PC |
| 70 | 30050-32400 | Exhaust collector cpl. | 1 | PC |
| 80 | 10030-26500 | O-ring 52 x 5 mm, VMQ, 40 Shore A | 1 | PC |
| 90 | 30050-33100 | Exhaust duct fitting AE 5 | 1 | PC |
| 100 | 10010-86000 | PH screw DIN 7985 M5x16-4.8-A2K-Z | 1 | PC |
| 110 | 30050-23500 | S 5002 base cpl. | 1 | PC |
| 120 | 30030-15800 | Heat deflector | 1 | PC |
| 130 | 10010-66200 | ST screw ISO 7049 ST5,5x25-A2K-C-Z | 1 | PC |
| 140 | 30090-00077 | Automatic ignitor | 1 | PC |
| 160 | 30030-99200 | Battery Mignon 1.5 V | 1 | PC |
| 170 | 30030-16100 | Shield | 1 | PC |
| 180 | 30090-00041 | Operating kit S 5002 | 1 | PC |
| 190 | 30090-00142 | S 3002/S 5002 safety pilot valve kit | 1 | PC |
| 200 | 30050-58100 | Micro switch | 1 | PC |
| 230 | 30030-12200 | Magnet inset | 1 | PC |
| 240 | 30030-12000 | Screw-in nut | 1 | PC |
| 280 | 30030-29800 | S 3002 (P)/5002 holder for heat detector | 1 | PC |

Spare parts S 5002 30mbar (06/1999-07/2004)

| Item no. | Article no. | Description | Quantity | Unit |
|----------|-------------|--|----------|------|
| 290 | 30090-00152 | S 5002/S 5004 burner cpl., 30 mbar | 1 | PC |
| 360 | 30010-23500 | Flat connector 2.8 mm | 1 | PC |
| 370 | 30050-13900 | S 2200/3002/5002 thermocouples | 1 | PC |
| 380 | 30030-04300 | Extension cpl. | 1 | PC |
| 390 | 30030-17500 | Perforated plate | 1 | PC |
| 400 | 30030-28500 | Extension spring | 1 | PC |
| 430 | 30050-29000 | S 5002/S 5004 frame | 1 | PC |
| 440 | 10010-72000 | ST screw ISO 7049 ST3,5x9,5-A2K-C-Z | 1 | PC |
| 450 | 10010-68000 | PH chipboard screw 3x12-A2K-Z | 1 | PC |
| 460 | 30050-52100 | S 5002 installation box | 1 | PC |
| 470 | 30050-52200 | S 5002 installation box for 2 fans | 1 | PC |
| 480 | 30050-51100 | S 5002 installation box interior part | 1 | PC |
| 490 | 30050-51300 | S 5002 inst. box interior part, 2 fans | 1 | PC |
| 500 | 30040-60000 | S 3002 (P)/5002 retaining spring | 1 | PC |
| 510 | 30040-60500 | Support plate, top left | 1 | PC |
| 520 | 30040-60600 | Support plate, top right | 1 | PC |
| 530 | 30040-60400 | Fastening bracket, middle right | 1 | PC |
| 540 | 30040-60300 | Fastening bracket, middle left | 1 | PC |
| 550 | 30040-60200 | Retaining plate, bottom right | 1 | PC |
| 560 | 30040-60100 | Retaining plate, bottom left | 1 | PC |

Spare parts S 5002 30mbar (08/2004-12/2014)

| Item no. | Article no. | Description | Quantity | Unit |
|----------|-------------|--|----------|------|
| 10 | 30050-32300 | S 5002/S 5004 heat exchanger | 1 | PC |
| 20 | 30030-42700 | Inspection glass cpl. | 1 | PC |
| 30 | 30050-10500 | Distance sheet | 1 | PC |
| 40 | 30010-19800 | Washer Starlock-5-1.1231-vamish finish | 1 | PC |
| 50 | 30050-18700 | S 5002/S 5004 ignition pipe | 1 | PC |
| 60 | 10030-23400 | O-ring 16 x 2.5 mm, VMQ | 1 | PC |
| 70 | 30050-32400 | Exhaust collector cpl. | 1 | PC |
| 80 | 10030-26500 | O-ring 52 x 5 mm, VMQ, 40 Shore A | 1 | PC |
| 90 | 30050-33100 | Exhaust duct fitting AE 5 | 1 | PC |
| 100 | 10010-86000 | PH screw DIN 7985 M5x16-4.8-A2K-Z | 1 | PC |
| 110 | 30050-23500 | S 5002 base cpl. | 1 | PC |
| 120 | 30030-15800 | Heat deflector | 1 | PC |
| 130 | 10010-66200 | ST screw ISO 7049 ST5,5x25-A2K-C-Z | 1 | PC |
| 140 | 30090-00077 | Automatic ignitor | 1 | PC |
| 160 | 30030-99200 | Battery Mignon 1.5 V | 1 | PC |
| 170 | 30030-16100 | Shield | 1 | PC |
| 180 | 30090-00041 | Operating kit S 5002 | 1 | PC |
| 190 | 30090-00142 | S 3002/S 5002 safety pilot valve kit | 1 | PC |
| 200 | 30050-58100 | Micro switch | 1 | PC |
| 230 | 30030-12200 | Magnet inset | 1 | PC |
| 240 | 30030-12000 | Screw-in nut | 1 | PC |
| 280 | 30030-29800 | S 3002 (P)/5002 holder for heat detector | 1 | PC |

Spare parts S 5002 30mbar (08/2004-12/2014)

| Item no. | Article no. | Description | Quantity | Unit |
|----------|-------------|--|----------|------|
| 290 | 30090-00152 | S 5002/S 5004 burner cpl., 30 mbar | 1 | PC |
| 340 | 30050-08900 | Clamp sheet kit, 2 pcs. | 1 | PC |
| 350 | 30050-08600 | S 5002 ignition electrode, 60 cm + screw | 1 | PC |
| 360 | 30010-23500 | Flat connector 2.8 mm | 1 | PC |
| 370 | 30050-13900 | S 2200/3002/5002 thermocouples | 1 | PC |
| 380 | 30030-04300 | Extension cpl. | 1 | PC |
| 390 | 30030-17500 | Perforated plate | 1 | PC |
| 400 | 30030-28500 | Extension spring | 1 | PC |
| 430 | 30050-29000 | S 5002/S 5004 frame | 1 | PC |
| 440 | 10010-72000 | ST screw ISO 7049 ST3,5x9,5-A2K-C-Z | 1 | PC |
| 450 | 10010-68000 | PH chipboard screw 3x12-A2K-Z | 1 | PC |
| 460 | 30050-52100 | S 5002 installation box | 1 | PC |
| 470 | 30050-52200 | S 5002 installation box for 2 fans | 1 | PC |
| 480 | 30050-51100 | S 5002 installation box interior part | 1 | PC |
| 490 | 30050-51300 | S 5002 inst. box interior part, 2 fans | 1 | PC |
| 500 | 30040-60000 | S 3002 (P)/5002 retaining spring | 1 | PC |
| 510 | 30040-60500 | Support plate, top left | 1 | PC |
| 520 | 30040-60600 | Support plate, top right | 1 | PC |
| 530 | 30040-60400 | Fastening bracket, middle right | 1 | PC |
| 540 | 30040-60300 | Fastening bracket, middle left | 1 | PC |
| 550 | 30040-60200 | Retaining plate, bottom right | 1 | PC |
| 560 | 30040-60100 | Retaining plate, bottom left | 1 | PC |

Spare parts S 5002 50mbar (05/1998-05/1999)

| Item no. | Article no. | Description | Quantity | Unit |
|----------|-------------|--|----------|------|
| 10 | 30050-32300 | S 5002/S 5004 heat exchanger | 1 | PC |
| 20 | 30030-02700 | Mica window large | 1 | PC |
| 30 | 30050-10500 | Distance sheet | 1 | PC |
| 40 | 30010-19800 | Washer Starlock-5-1.1231-vamish finish | 1 | PC |
| 50 | 30050-18700 | S 5002/S 5004 ignition pipe | 1 | PC |
| 60 | 10030-23400 | O-ring 16 x 2.5 mm, VMQ | 1 | PC |
| 70 | 30050-32400 | Exhaust collector cpl. | 1 | PC |
| 80 | 10030-26500 | O-ring 52 x 5 mm, VMQ, 40 Shore A | 1 | PC |
| 90 | 30050-33100 | Exhaust duct fitting AE 5 | 1 | PC |
| 100 | 10010-86000 | PH screw DIN 7985 M5x16-4.8-A2K-Z | 1 | PC |
| 110 | 30050-23500 | S 5002 base cpl. | 1 | PC |
| 120 | 30030-15800 | Heat deflector | 1 | PC |
| 130 | 10010-66200 | ST screw ISO 7049 ST5,5x25-A2K-C-Z | 1 | PC |
| 140 | 30090-00077 | Automatic ignitor | 1 | PC |
| 150 | 30050-53500 | Adapter cable auto ignitor | 1 | PC |
| 160 | 30030-99200 | Battery Mignon 1.5 V | 1 | PC |
| 170 | 30030-16100 | Shield | 1 | PC |
| 180 | 30090-00041 | Operating kit S 5002 | 1 | PC |
| 190 | 30090-00142 | S 3002/S 5002 safety pilot valve kit | 1 | PC |
| 210 | 30050-59200 | Adapter plug | 1 | PC |
| 220 | 30010-23400 | Socket board 2-pin | 1 | PC |
| 230 | 30030-12200 | Magnet inset | 1 | PC |

Spare parts S 5002 50mbar (05/1998-05/1999)

| Item no. | Article no. | Description | Quantity | Unit |
|----------|-------------|--|----------|------|
| 240 | 30030-12000 | Screw-in nut | 1 | PC |
| 250 | 30030-03100 | S 3002/5002 supply duct cpl. | 1 | PC |
| 260 | 30010-10900 | Double conical ring L8 | 1 | PC |
| 270 | 30010-11000 | Male fitting | 1 | PC |
| 280 | 30030-29800 | S 3002 (P)/5002 holder for heat detector | 1 | PC |
| 290 | 30090-00149 | S 5002 burner cpl., 50 mbar | 1 | PC |
| 360 | 30010-23500 | Flat connector 2.8 mm | 1 | PC |
| 370 | 30050-13900 | S 2200/3002/5002 thermocouples | 1 | PC |
| 380 | 30030-04300 | Extension cpl. | 1 | PC |
| 390 | 30030-17500 | Perforated plate | 1 | PC |
| 400 | 30030-28500 | Extension spring | 1 | PC |
| 430 | 30050-29000 | S 5002/S 5004 frame | 1 | PC |
| 440 | 10010-72000 | ST screw ISO 7049 ST3,5x9,5-A2K-C-Z | 1 | PC |
| 450 | 10010-68000 | PH chipboard screw 3x12-A2K-Z | 1 | PC |
| 460 | 30050-52100 | S 5002 installation box | 1 | PC |
| 470 | 30050-52200 | S 5002 installation box for 2 fans | 1 | PC |
| 480 | 30050-51100 | S 5002 installation box interior part | 1 | PC |
| 490 | 30050-51300 | S 5002 inst. box interior part, 2 fans | 1 | PC |
| 500 | 30040-60000 | S 3002 (P)/5002 retaining spring | 1 | PC |
| 510 | 30040-60500 | Support plate, top left | 1 | PC |
| 520 | 30040-60600 | Support plate, top right | 1 | PC |
| 530 | 30040-60400 | Fastening bracket, middle right | 1 | PC |

Spare parts S 5002 50mbar (05/1998-05/1999)

| Item no. | Article no. | Description | Quantity | Unit |
|----------|-------------|--------------------------------|----------|------|
| 540 | 30040-60300 | Fastening bracket, middle left | 1 | PC |
| 550 | 30040-60200 | Retaining plate, bottom right | 1 | PC |
| 560 | 30040-60100 | Retaining plate, bottom left | 1 | PC |
| 570 | 30030-18700 | Knob socket | 1 | PC |
| 580 | 30070-11500 | Spring nut | 1 | PC |

Spare parts S 5002 50mbar (06/1999-07/2004)

| Item no. | Article no. | Description | Quantity | Unit |
|----------|-------------|--|----------|------|
| 10 | 30050-32300 | S 5002/S 5004 heat exchanger | 1 | PC |
| 20 | 30030-42700 | Inspection glass cpl. | 1 | PC |
| 30 | 30050-10500 | Distance sheet | 1 | PC |
| 40 | 30010-19800 | Washer Starlock-5-1.1231-vamish finish | 1 | PC |
| 50 | 30050-18700 | S 5002/S 5004 ignition pipe | 1 | PC |
| 60 | 10030-23400 | O-ring 16 x 2.5 mm, VMQ | 1 | PC |
| 70 | 30050-32400 | Exhaust collector cpl. | 1 | PC |
| 80 | 10030-26500 | O-ring 52 x 5 mm, VMQ, 40 Shore A | 1 | PC |
| 90 | 30050-33100 | Exhaust duct fitting AE 5 | 1 | PC |
| 100 | 10010-86000 | PH screw DIN 7985 M5x16-4.8-A2K-Z | 1 | PC |
| 110 | 30050-23500 | S 5002 base cpl. | 1 | PC |
| 120 | 30030-15800 | Heat deflector | 1 | PC |
| 130 | 10010-66200 | ST screw ISO 7049 ST5,5x25-A2K-C-Z | 1 | PC |
| 140 | 30090-00077 | Automatic ignitor | 1 | PC |
| 160 | 30030-99200 | Battery Mignon 1.5 V | 1 | PC |
| 170 | 30030-16100 | Shield | 1 | PC |
| 180 | 30090-00041 | Operating kit S 5002 | 1 | PC |
| 190 | 30090-00142 | S 3002/S 5002 safety pilot valve kit | 1 | PC |
| 200 | 30050-58100 | Micro switch | 1 | PC |
| 230 | 30030-12200 | Magnet inset | 1 | PC |
| 240 | 30030-12000 | Screw-in nut | 1 | PC |
| 280 | 30030-29800 | S 3002 (P)/5002 holder for heat detector | 1 | PC |

Spare parts S 5002 50mbar (06/1999-07/2004)

| Item no. | Article no. | Description | Quantity | Unit |
|----------|-------------|--|----------|------|
| 290 | 30090-00149 | S 5002 burner cpl., 50 mbar | 1 | PC |
| 360 | 30010-23500 | Flat connector 2.8 mm | 1 | PC |
| 370 | 30050-13900 | S 2200/3002/5002 thermocouples | 1 | PC |
| 380 | 30030-04300 | Extension cpl. | 1 | PC |
| 390 | 30030-17500 | Perforated plate | 1 | PC |
| 400 | 30030-28500 | Extension spring | 1 | PC |
| 430 | 30050-29000 | S 5002/S 5004 frame | 1 | PC |
| 440 | 10010-72000 | ST screw ISO 7049 ST3,5x9,5-A2K-C-Z | 1 | PC |
| 450 | 10010-68000 | PH chipboard screw 3x12-A2K-Z | 1 | PC |
| 460 | 30050-52100 | S 5002 installation box | 1 | PC |
| 470 | 30050-52200 | S 5002 installation box for 2 fans | 1 | PC |
| 480 | 30050-51100 | S 5002 installation box interior part | 1 | PC |
| 490 | 30050-51300 | S 5002 inst. box interior part, 2 fans | 1 | PC |
| 500 | 30040-60000 | S 3002 (P)/5002 retaining spring | 1 | PC |
| 510 | 30040-60500 | Support plate, top left | 1 | PC |
| 520 | 30040-60600 | Support plate, top right | 1 | PC |
| 530 | 30040-60400 | Fastening bracket, middle right | 1 | PC |
| 540 | 30040-60300 | Fastening bracket, middle left | 1 | PC |
| 550 | 30040-60200 | Retaining plate, bottom right | 1 | PC |
| 560 | 30040-60100 | Retaining plate, bottom left | 1 | PC |

Spare parts S 5002 50mbar (08/2004-06/2006)

| Item no. | Article no. | Description | Quantity | Unit |
|----------|-------------|--|----------|------|
| 10 | 30050-32300 | S 5002/S 5004 heat exchanger | 1 | PC |
| 20 | 30030-42700 | Inspection glass cpl. | 1 | PC |
| 30 | 30050-10500 | Distance sheet | 1 | PC |
| 40 | 30010-19800 | Washer Starlock-5-1.1231-vamish finish | 1 | PC |
| 50 | 30050-18700 | S 5002/S 5004 ignition pipe | 1 | PC |
| 60 | 10030-23400 | O-ring 16 x 2.5 mm, VMQ | 1 | PC |
| 70 | 30050-32400 | Exhaust collector cpl. | 1 | PC |
| 80 | 10030-26500 | O-ring 52 x 5 mm, VMQ, 40 Shore A | 1 | PC |
| 90 | 30050-33100 | Exhaust duct fitting AE 5 | 1 | PC |
| 100 | 10010-86000 | PH screw DIN 7985 M5x16-4.8-A2K-Z | 1 | PC |
| 110 | 30050-23500 | S 5002 base cpl. | 1 | PC |
| 120 | 30030-15800 | Heat deflector | 1 | PC |
| 130 | 10010-66200 | ST screw ISO 7049 ST5,5x25-A2K-C-Z | 1 | PC |
| 140 | 30090-00077 | Automatic ignitor | 1 | PC |
| 160 | 30030-99200 | Battery Mignon 1.5 V | 1 | PC |
| 170 | 30030-16100 | Shield | 1 | PC |
| 180 | 30090-00041 | Operating kit S 5002 | 1 | PC |
| 190 | 30090-00142 | S 3002/S 5002 safety pilot valve kit | 1 | PC |
| 200 | 30050-58100 | Micro switch | 1 | PC |
| 230 | 30030-12200 | Magnet inset | 1 | PC |
| 240 | 30030-12000 | Screw-in nut | 1 | PC |
| 280 | 30030-29800 | S 3002 (P)/5002 holder for heat detector | 1 | PC |

Spare parts S 5002 50mbar (08/2004-06/2006)

| Item no. | Article no. | Description | Quantity | Unit |
|----------|-------------|--|----------|------|
| 290 | 30090-00149 | S 5002 burner cpl., 50 mbar | 1 | PC |
| 340 | 30050-08900 | Clamp sheet kit, 2 pcs. | 1 | PC |
| 350 | 30050-08600 | S 5002 ignition electrode, 60 cm + screw | 1 | PC |
| 360 | 30010-23500 | Flat connector 2.8 mm | 1 | PC |
| 370 | 30050-13900 | S 2200/3002/5002 thermocouples | 1 | PC |
| 380 | 30030-04300 | Extension cpl. | 1 | PC |
| 390 | 30030-17500 | Perforated plate | 1 | PC |
| 400 | 30030-28500 | Extension spring | 1 | PC |
| 430 | 30050-29000 | S 5002/S 5004 frame | 1 | PC |
| 440 | 10010-72000 | ST screw ISO 7049 ST3,5x9,5-A2K-C-Z | 1 | PC |
| 450 | 10010-68000 | PH chipboard screw 3x12-A2K-Z | 1 | PC |
| 460 | 30050-52100 | S 5002 installation box | 1 | PC |
| 470 | 30050-52200 | S 5002 installation box for 2 fans | 1 | PC |
| 480 | 30050-51100 | S 5002 installation box interior part | 1 | PC |
| 490 | 30050-51300 | S 5002 inst. box interior part, 2 fans | 1 | PC |
| 500 | 30040-60000 | S 3002 (P)/5002 retaining spring | 1 | PC |
| 510 | 30040-60500 | Support plate, top left | 1 | PC |
| 520 | 30040-60600 | Support plate, top right | 1 | PC |
| 530 | 30040-60400 | Fastening bracket, middle right | 1 | PC |
| 540 | 30040-60300 | Fastening bracket, middle left | 1 | PC |
| 550 | 30040-60200 | Retaining plate, bottom right | 1 | PC |
| 560 | 30040-60100 | Retaining plate, bottom left | 1 | PC |